

NATIONAL CERTIFIED TESTING LABORATORIES

FIVE LEIGH DRIVE • YORK, PENNSYLVANIA 17406 • TELEPHONE (717) 846-1200 FAX (717) 767-4100 www.nctlinc.com

November 23, 2009

Ref: NCTL-110-11828-2

Alumil N.A. Corporation 4401 21st St., Suite 203 Long Island City, NY 11101 Attn: Kyp Bazenikas

Dear Mr. Bazenikas:

On November 09, 2009 tests were completed by our laboratory at our facility on the Alumil N.A. Corporation M65 modular Curtain Wall System in accordance with the ASTM E 283-04, E 331-00, E 330-02 test methods and AAMA 501.1.

TEST RESULTS

Test Method		Title of Test	Measured
ASTM E 330		Preload to 50% of Design Pressure	N/A
ASTM E 283		Air Infiltration 6.24 psf (49 mph)	0.02 cfm/ft ² * *average
ASTM E 331		Static Water Resistance 5.0 gph/ft ² WTP= 15.0 psf	No Leakage
ASTM E 330	**	Uniform Load Structural-100% 60.0 psf exterior 60.0 psf interior	No Damage No Damage
AAMA 501.4	**	Inter-story Differential Vertical Horizontal	No Damage No Damage
AAMA 501.1		Dynamic Water Resistance 5.0 gph/ft ² WTP= 15.0 psf	No Leakage
ASTM E 283		Repeat-Air Infiltration 6.24 psf (49 mph)	$0.02~\mathrm{cfm/ft^{2}}$ * *average
ASTM E 331		Repeat-Static Water Resistance 5.0 gph/ft ² WTP= 15.0 psf	No Leakage
ASTM E 330	**	Uniform Load Structural-150%-Safety Factor 90.0 psf exterior 90.0 psf interior	No Damage No Damage
No glass breakage or permanent damage causing the unit to be inoperable			

TEST COMPLETED 11/09/09

A full report containing the details of the above referenced testing is forthcoming at the time of this letter. If you have any questions, please contact me at your convenience.

Sincerely

NATIONAL CERTIFIED TESTING LABORATORIES

ROBERT Wm. DeFAYETTE

Field Testing / Curtain Wall Coordinator

Professionals In The Science of Testing